




Threaded Leveling Glides


1-4 Light Duty, (Non-Swivel & Free-Turning) *threaded glides* are designed for light duty applications. Zinc plated stud and plastic base with nickel plated steel shell for improved appearance (black plastic base has a black oxide shell). Also available with a PVC base (-PVC) and a gray rubber base (-RG). The IL9-CAST is made to replace caster wheels on tables and chairs. More caster glides are shown at the end of this section. IL9-61HxSL has a Top-A-Just™ hex and slot.



(IL9-CAST)




IL13A-CAST-SVL



IL9-T

IL9-IL12 Stainless Glides (-SS)

5-Light Duty, (Swivel), Plastic Base *threaded glides* swivel 15° and are designed for light duty applications. Zinc-plated stud and plastic base with nickel plated steel shell for improved appearance. Same design as #6 below. IL13A offers greater swivel and does not have the lower hex.




(IL13A-xx)

6-Light Duty, (Non-Swivel), Plastic Base *threaded glides* are designed for light duty applications. Zinc-plated stud and plastic base with nickel plated steel shell for improved appearance. Same design as #5 above except non-swivel.



(IL14)



(IL14A-Metal)



(IL14A-WH)

6A-Light Duty, (Non-Swivel), Plastic Base, No Hex *threaded glides* are designed for light duty applications. Zinc-plated stud and plastic base with nickel plated steel shell for improved appearance. To order without nickel-plated shell, add (-WH) for white base. The IL14A glides do not have a lower hex.

Part Nbr.	Thread	Hex	A	B	C	Base
1-Light Duty, (Non-Swivel) Plastic, Rubber or PVC Base						
IL9A-41H	1/4-20	YES	1	1	3/4	White
IL9-41	1/4-20	NO	1-3/8	1	5/8	White
IL9-41H-SS	1/4-20	YES	1-3/8	1	5/8	White
IL9-4T	1/4-20	YES	1-3/8	N/A	13/16	White
IL9A-5HBx15	5/16-18	YES	1	1-1/2	3/4	Black
IL9A-5Hx15	5/16-18	YES	1	1-1/2	3/4	White
IL9-5Hx15-PVC	5/16-18	YES	1-3/8	1-1/2	3/4	Gray
IL9-5Hx15-RG	5/16-18	YES	1-3/8	1-1/2	3/4	Gray
IL9-52H-RG	5/16-18	YES	1-3/8	2	3/4	Gray
IL9-51	5/16-18	NO	1-3/8	1	5/8	White
IL9-51H	5/16-18	YES	1-3/8	1	3/4	White
IL9-5Hx15	5/16-18	YES	1-3/8	1-1/2	3/4	White
IL9-5Hx15-SS	5/16-18	YES	1-3/8	1-1/2	3/4	White
IL9-52H	5/16-18	YES	1-3/8	2	3/4	White
IL9-5T	5/16-18	YES	1-3/8	N/A	7/8	White
IL9A-6x15	3/8-16	NO	1	1-1/2	5/8	White
IL9-61H	3/8-16	YES	1-3/8	1-1/2	3/4	White
IL9-61H-SS	3/8-16	YES	1-3/8	1-1/2	3/4	White
IL9-61H-HX-SL	3/8-16	YES	1-3/8	1-1/2	3/4	White
IL9-6Hx15-PVC	3/8-16	YES	1-3/8	1-1/2	3/4	Gray
IL9-62H	3/8-16	YES	1-3/8	2	3/4	White
IL9-62HB	3/8-16	YES	1-3/8	2	3/4	Black
IL9-62HB-PVC	3/8-16	YES	1-3/8	2	3/4	Black
IL9-6Hx25-ZN	3/8-16	YES	1-3/8	2-1/2	3/4	White
IL9-63H	3/8-16	YES	1-3/8	3-1/2	3/4	White
IL9-6Hx3	3/8-16	YES	1-3/8	3	3/4	White
IL9-64H	3/8-16	YES	1-3/8	4	3/4	White
IL9-6T	3/8-16	YES	1-3/8	N/A	7/8	White
IL9-CAST	7/16	NO	3/8	7/8	5/8	White
IL9-CAST-RG	7/16	NO	3/8	7/8	5/8	Gray

1-Metric Light Duty, (Non-Swivel) Plastic Base

IL9-M6H	M6x1.0	YES	1-3/8	1	3/4	White
IL9-M8H	M8x1.25	YES	1-3/8	1	3/4	White
IL9-M10H	M10x1.50	YES	1-3/8	1	3/4	White
IL9-M10Hx38	M10x1.50	YES	1-3/8	1-1/2	3/4	White

2-Light Duty, (Free Turning), Plastic Base

IL10-5Hx15-SS	5/16-18	YES	1-11/16	1-1/2	3/4	White
IL10-61H	3/8-16	YES	1-3/8	1-1/2	3/4	White
IL10-62H	3/8-16	YES	1-3/8	2-1/2	3/4	White
IL10-72H	1/2-13	YES	1-3/8	2-1/2	3/4	White

3-Light Duty, (Non-Swivel) Plastic or Rubber Base

IL11-6Hx3/4	3/8-16	YES	1-3/4	3/4	7/8	White
IL11-61H	3/8-16	YES	1-3/4	1-1/2	7/8	White
IL11A-61H-GR	3/8-16	YES	2-1/4	1	7/8	Gray
IL11-62H	3/8-16	YES	1-3/4	2-1/2	7/8	White
IL11-63H	3/8-16	YES	1-3/4	3-1/2	7/8	White
IL11-65H	3/8-16	YES	1-3/4	5	7/8	White

4-Light Duty, (Free-Turning), Plastic or PVC Base

IL12-61H-SS	3/8-16	YES	1-11/16	1-1/2	3/4	White
IL12-61H-SS-TPR	3/8-16	YES	1-11/16	1-1/2	3/4	White
IL12-72H	1/2-13	YES	1-3/4	2-1/2	3/4	White
IL12-72H-PVC	1/2-13	YES	1-3/4	2-1/2	3/4	Grey
IL12B-72H	1/2-13	YES	2-1/4	2-1/2	3/4	White

Part Nbr.	Thread	Hex	A	B	C	Base
5-Light Duty, (Swivel), Plastic Base						
IL13-41	1/4-20	YES	1-1/8	1	5/8	White
IL13-4x1/2	1/4-20	YES	1-1/8	1/2	5/8	White
IL13-51	5/16-18	YES	1-1/8	1	5/8	White
IL13-5X15	5/16-18	YES	1-1/8	1-1/2	5/8	White
IL13-52	5/16-18	YES	1-1/8	2	5/8	White
IL13-61	3/8-16	YES	1-1/8	1	5/8	White
IL13-6x15	3/8-16	YES	1-1/8	1-1/2	5/8	White
IL13-62	3/8-16	YES	1-1/8	2	5/8	White
IL13A-6x15	3/8-16	NO	1-1/4	1-1/2	1/2	White
IL13A-62	3/8-16	NO	1-1/4	2	1/2	White
IL13A-CAST-SVL	7/16	NO	1-1/4	2	1/2	White

5-Metric Light Duty, (Swivel), Plastic Base

IL13-M6x25	M6x1.0	YES	1-1/8	1	5/8	White
IL13-M8x25	M8x1.25	YES	1-1/8	1	5/8	White
IL13-M8x38	M8x1.25	YES	1-1/8	1-1/2	5/8	White
IL13-M10x25	M10x1.50	YES	1-1/8	1	5/8	White
IL13-M10x38	M10x1.50	YES	1-1/8	1-1/2	5/8	White

6-Light Duty, (Non-Swivel), Plastic Base

IL14-41H	1/4-20	YES	1-1/8	1	5/8	White
IL14-51H	5/16-18	YES	1-1/8	1	5/8	White
IL14-5x15H	5/16-18	YES	1-1/8	1-1/2	5/8	White
IL14-5x625H	5/16-18	YES	1-1/8	5/8	5/8	White
IL14-61H	3/8-16	YES	1-1/8	1	5/8	White
IL14-6x15H	3/8-16	YES	1-1/8	1-1/2	5/8	White

6A-Light Duty, (Non-Swivel), Plastic Base, No Hex

IL14A-4x1/2	1/4-20	NO	1-1/8	1/2	1/2	White
IL14A-41	1/4-20	NO	1-1/8	1	1/2	White
IL14A-41B	1/4-20	NO	1-1/8	1	1/2	Black
IL14A-4x15	1/4-20	NO	1-1/8	1-1/2	1/2	White
IL14A-5x1/2	5/16-18	NO	1-1/8	1/2	1/2	White
IL14A-51	5/16-18	NO	1-1/8	1	1/2	White

**INTERNATIONAL EQUIPMENT COMPONENTS, INC.**


Phone: 562.597.4533 eMail: sales@iec-corp.com

Web: www.levelingmounts.com | www.iec-corp.com



LIGHT-DUTY LEVELERS**THREADED GLIDES****Threaded Leveling Glides**

7-Light Duty, (Non-Swivel), Black Vinyl Base *threaded glides* have a zinc plated steel stud and non-skid, non-marring base.



7A-Light Duty, (Non-Swivel), Black Vinyl Base - SS Stud these *threaded glides* feature a stainless steel stud with a non-skid and non-marring base.

**Threaded Sliders**

IEC's *threaded sliders* shown to the right allow for easy sliding and provide noise reduction. They have a PTFE gray base (similar to teflon®) with a black rubber cushion top.



8-Light Duty, (Non-Swivel), Steel Base *threaded glides* have a plastic cushion inside the nickel plated steel base which reduces noise. The stud is zinc plated. Steel based glides slide easily on carpet.



(IL16A)

Note: IL16A has a black plastic base (no steel shell).



* **Snap-on Nylon Glide Caps.** See page 10 for specifications. Available for IL16 thru IL18.

Part Nbr.	Thread	Hex	A	B	C	Base
7-Light Duty, (Non-Skid), Black Vinyl Base						
IL15-4x1/2	1/4-20	NO	1-1/8	1/2	3/8	Black
IL15-41	1/4-20	NO	1-1/8	1	3/8	Black
IL15-51	5/16-18	NO	1-1/8	1	3/8	Black
IL15-5x15	5/16-18	NO	1-1/8	1-1/2	3/8	Black
IL15-61	3/8-16	NO	1-1/8	1	3/8	Black
IL15-6x15	3/8-16	NO	1-1/8	1-1/2	3/8	Black
IL15-6x2	3/8-16	NO	1-1/8	2	3/8	Black

7A-Light Duty, (Non-Skid), Black Vinyl Base with Stainless Steel Stud

IL15-4x1/2-SS	1/4-20	NO	1-1/8	1/2	3/8	Black
IL15-41-SS	1/4-20	NO	1-1/8	1	3/8	Black
IL15-51-SS	5/16-18	NO	1-1/8	1	3/8	Black
IL15-5x15-SS	5/16-18	NO	1-1/8	1-1/2	3/8	Black
IL15-52-SS	5/16-18	NO	1-1/8	2	3/8	Black
IL15-61-SS	3/8-16	NO	1-1/8	1	3/8	Black
IL15-6x15-SS	3/8-16	NO	1-1/8	1-1/2	3/8	Black
IL15-62-SS	3/8-16	NO	1-1/8	2	3/8	Black

7-Metric Light Duty, (Non-Skid), Black Vinyl Base

IL15-M6	M6x1.00	NO	1-1/8	1	3/8	Black
IL15-M6x12	M6x1.00	NO	1-1/8	1/2	3/8	Black
IL15-M8	M8x1.25	NO	1-1/8	1	3/8	Black
IL15-M8x12	M8x1.25	NO	1-1/8	1/2	3/8	Black
IL15-M8x38	M8x1.25	NO	1-1/8	1-1/2	3/8	Black
IL15-M10	M10x1.50	NO	1-1/8	1	3/8	Black
IL15-M10x38	M10x1.50	NO	1-1/8	1-1/2	3/8	Black

Threaded Sliders

P/N	A DIA.	Base Ht.	Thread
IL15-41-SLDR	7/8	1/4	1/4-20x1
IL15-4x1/2-SLDR	7/8	1/4	1/4-20x1/2
IL15A-41-SLDR	1-1/8	1/4	1/4-20x1
IL15A-5x1/2-SLDR	1-1/8	1/4	5/16-18x1/2
IL15A-51-SLDR	1-1/8	1/4	5/16-18x1
IL15A-5x15-SLDR	1-1/8	1/4	5/16-18x1-1/2
IL15A-61-SLDR	1-1/8	1/4	3/8-16x1

Threaded Sliders - Metric

P/N	A DIA.	Base Ht.	Thread
IL15-M6-SLDR	7/8	1/4	M6X1
IL15-M6x12-SLDR	7/8	1/4	M6X1/2
IL15A-M8x12-SLDR	1-1/8	1/4	M8X1/2
IL15A-M8-SLDR	1-1/8	1/4	M8X1
IL15A-M10-SLDR	1-1/8	1/4	M10X1

Part Nbr.	Thread	Hex	A	B	C	Base
8-Light Duty, Steel Base (with Black Plastic Cushion)						
IL16-4x1/2	1/4-20	NO	7/8	1/2	7/16	Steel
IL16-41	1/4-20	NO	7/8	1	7/16	Steel
IL16-51	5/16-18	NO	7/8	1	7/16	Steel
IL17-41	1/4-20	NO	1-1/16	1	7/16	Steel
IL17-51	5/16-18	NO	1-1/16	1	7/16	Steel
IL18-41	1/4-20	NO	1-1/4	1	7/16	Steel
IL18-51	5/16-18	NO	1-1/4	1	7/16	Steel
IL18-61	3/8-16	NO	1-1/4	1	7/16	Steel

8-Light Duty, Metric Steel Base (with Black Plastic Cushion)

IL16-M6x10	M6x1.0	NO	3/4	3/8	7/16	Steel
IL16-M6x25	M6x1.0	NO	3/4	1	7/16	Steel
IL17-M8x25	M8x1.25	NO	1-1/16	1	7/16	Steel
IL17-M10x25	M10x1.50	NO	1-1/16	1	7/16	Steel
IL18-M6x25	M6x1.0	NO	1-1/4	1	7/16	Steel
IL18-M8x25	M8x1.25	NO	1-1/4	1	7/16	Steel
IL18-M10x25	M10x1.50	NO	1-1/4	1	7/16	Steel

8A-Light Duty, Black Plastic Base


IL16A-4x1/2	1/4-20	NO	1	1/2	3/8	Black
IL16A-4x3/4	1/4-20	NO	1	3/4	3/8	Black
IL16A-4x1	1/4-20	NO	1	1	3/8	Black
IL16A-51	5/16-18	NO	1	1	3/8	Black
IL16A-5x15	5/16-18	NO	1	1-1/2	3/8	Black




Threaded Leveling Glides

18-Light Duty, (Long Stem), Black Plastic Base These *long-stem glides* feature extended thread lengths and hex adjustment. IL31-6Bx15 also available with top slot (add -SL).


18B-Carpet Gripper Glides This *leveling glide* has spikes on the bottom of the black nylon base in order to resist sliding on carpet.




19-Light Duty, (Molded Hex), Black Plastic Base These *glides* feature a hex molded into the base which allows the base to be low profile.



20-Light Duty, (Low Profile), Black Plastic Base These *low-profile glides* have some thread sizes with slots (-SL). Also available in white (-W) or brown (-BR).



20A-Threaded Felt Pads IEC's *threaded felt pads* or IEC's wood screw felt pads (see Nail Glide section) provide floor protection and reduce noise. The threaded stud allows for leveling adjustment to reduce table and chair wobble. For wood legs that are not threaded, use IEC's threaded insert "T-nuts" or propeller nuts. Standard thread length is 1".



Part Nbr.	Thread	Hex	A	B	C	Base
18-Long Stem Glides						
IL31-6Bx15	3/8-16	YES	1-5/8	1-1/2	5/8	BLACK
IL31-6Bx25	3/8-16	YES	1-5/8	2-1/2	5/8	BLACK
IL31-6Bx35	3/8-16	YES	1-5/8	3-1/2	5/8	BLACK
18B - Carpet Gripper Glides						
IL31A-52B	5/16-18	YES	1-3/4	2	5/8	BLACK

19-Round Molded Hex Glides - Black						
IL32-41B	1/4-20	YES	1-1/4	1	3/8	BLACK
IL32-4Bx15	1/4-20	YES	1-1/4	1-1/2	3/8	BLACK
IL32-51B	5/16-18	YES	1-1/4	1	3/8	BLACK
IL32-5Bx15	5/16-18	YES	1-1/4	1-1/2	3/8	BLACK
IL32-52B	5/16-18	YES	1-1/4	2	3/8	BLACK
IL32-61B	3/8-16	YES	1-1/4	1	3/8	BLACK
IL32-6Bx15	3/8-16	YES	1-1/4	1-1/2	3/8	BLACK
IL32-62B	3/8-16	YES	1-1/4	2	3/8	BLACK
IL32-7Bx175	1/2-13	YES	1-3/8	1-3/4	7/16	BLACK
IL32A-41B	1/4-20	YES	1	1	3/8	BLACK
IL32A-4Bx15	1/4-20	YES	1	1-1/2	3/8	BLACK
IL32A-51B	5/16-18	YES	1	1	3/8	BLACK
IL32A-5Bx15	5/16-18	YES	1	1-1/2	3/8	BLACK
IL32A-61B	3/8-16	YES	1	1	3/8	BLACK
IL32A-6Bx15	3/8-16	YES	1	1-1/2	3/8	BLACK

19-Round Molded Hex Glides - Clear						
IL32-41C	1/4-20	YES	1-1/4	1	3/8	CLEAR
IL32-5Cx15	5/16-18	YES	1-1/4	1-1/2	3/8	CLEAR
IL32-6Cx15	3/8-16	YES	1-1/4	1-1/2	3/8	CLEAR

19-Round Molded Hex Glides - Clear Base, S.S. Stud						
IL32-41CS	1/4-20	YES	1-1/4	1	3/8	CLEAR
IL32-5CSx15	5/16-18	YES	1-1/4	1-1/2	3/8	CLEAR
IL32-6CSx15	3/8-16	YES	1-1/4	1-1/2	3/8	CLEAR

19-Metric Round Molded Hex Glides						
IL32-M8Bx38-SL	M8x1.25	YES	1-1/4	1-1/2	3/8	BLACK
IL32-M10Bx38-SL	M10x1.50	YES	1-1/4	1-1/2	3/8	BLACK

20-Low Profile Glides						
IL33-41B	1/4-20	NO	1-1/2	1	5/16	BLACK
IL33-4Bx15	1/4-20	NO	1-1/2	1-1/2	5/16	BLACK
IL33-5Bx3/4	5/16-18	NO	1-1/2	3/4	5/16	BLACK
IL33-5Bx15	5/16-18	NO	1-1/2	1-1/2	5/16	BLACK
IL33-6Bx3/4	3/8-16	NO	1-1/2	3/4	5/16	BLACK
IL33-6Bx15-SL	3/8-16	NO	1-1/2	1-1/2	3/8	BLACK
IL33A-6Bx15-SL	3/8-16	NO	1-3/4	1-1/2	3/8	BLACK
IL33B-61B	3/8-16	NO	2	1	3/8	BLACK

20A - Threaded Felt Pads						
Part Nbr.	Dia	Felt Thk.	Base Ht.	Thread		
IL33C-41B-FELT	1	5/16	1/2	1/4-20x1		
IL33C-51B-FELT	1	5/16	1/2	5/16-18x1		
IL33C-61B-FELT	1	5/16	1/2	3/8-16x1		

Thread length is 1" (25mm) for the metric threaded felt pads.

20A - Metric Threaded Felt Pads - Brown						
Part Nbr.	Dia	Felt Thk.	Base Ht.	Thread		
IL33C-M6B-FELT	1	5/16	1/2	M6x1.0		
IL33C-M8B-FELT	1	5/16	1/2	M8x1.25		
IL33C-M10B-FELT	1	5/16	1/2	M10x1.50		

Thread length is 1" (25mm) for the metric threaded felt pads.


20A - Metric Threaded Felt Pads - White						
Part Nbr.	Dia	Felt Thk.	Base Ht.	Thread		
IL33C-M6W-FELT	1	5/16	1/2	M6x1.0		
IL33C-M8W-FELT	1	5/16	1/2	M8x1.25		
IL33C-M10W-FELT	1	5/16	1/2	M10x1.50		

Thread length is 1" (25mm) for the metric threaded felt pads.




Threaded Fixed Base Leveling Glides

18C-Light Duty, Fixed Nylon Base *threaded glides* have a black, non-swivel base and black nylon top. The steel stud is zinc plated and has a top slot.




18C-Metric Light Duty, Fixed Nylon Base *threaded glides* have a black, non-swivel base and black nylon top. The metric steel stud is zinc plated and has a top slot.



18D-Light Duty, Fixed Rubber Base *threaded glides* have a black, non-swivel rubber base made of TPR (thermo-plastic rubber) which provides a non-skid, non-marring surface. The steel stud is zinc plated and has a top slot.

18D-Metric Light Duty, Fixed Rubber Base *threaded glides* have a black, non-swivel rubber base made of TPR (thermo-plastic rubber) which provides a non-skid, non-marring surface. The metric steel stud is zinc plated and has a top slot.



18E-Light Duty, Fixed PTFE Base *threaded sliders* allow for easy sliding, reduce floor scratching and provide noise reduction. They have a PTFE gray base (similar to teflon®) with a black nylon top and zinc plated stud with a top slot.

18E-Metric Light Duty, Fixed PTFE Base *threaded sliders* allow easy sliding, reduce floor scratching and provide noise reduction. They have a PTFE gray base (similar to teflon®) with a black nylon top and zinc plated metric stud with a top slot.

Part Nbr.	Thread	Hex	A	B	C	Base
18C-Fixed Nylon Base Glides						
IL31B-4X1/2-N	1/4-20	YES	1-3/8	1/2	7/8	BLACK
IL31B-41-N	1/4-20	YES	1-3/8	1	7/8	BLACK
IL31B-4X15-N	1/4-20	YES	1-3/8	1-1/2	7/8	BLACK
IL31B-51-N	5/16-18	YES	1-3/8	1	1	BLACK
IL31B-5X15-N	5/16-18	YES	1-3/8	1-1/2	1	BLACK
IL31B-52-N	5/16-18	YES	1-3/8	2	1	BLACK
IL31B-61-N	3/8-16	YES	1-3/8	1	1	BLACK
IL31B-6X15-N	3/8-16	YES	1-3/8	1-1/2	1	BLACK
IL31B-62-N	3/8-16	YES	1-3/8	2	1	BLACK

18C-Metric Fixed Nylon Base Glides

IL31B-M6X12-N	M6 X 1.0	YES	1-3/8	1/2	7/8	BLACK
IL31B-M6X25-N	M6 X 1.0	YES	1-3/8	1	7/8	BLACK

IL31B-M8X12-N	M8 X 1.25	YES	1-3/8	1/2	1	BLACK
IL31B-M8X25-N	M8 X 1.25	YES	1-3/8	1	1	BLACK
IL31B-M8X38-N	M8 X 1.25	YES	1-3/8	1-1/2	1	BLACK

IL31B-M10X25-N	M10 X 1.50	YES	1-3/8	1	1	BLACK
IL31B-M10X38-N	M10 X 1.50	YES	1-3/8	1-1/2	1	BLACK
IL31B-M10X51-N	M10 X 1.50	YES	1-3/8	2	1	BLACK

18D-Fixed Rubber Base Glides

IL31B-4X1/2-R	1/4-20	YES	1-3/8	1/2	1	BLACK
IL31B-41-R	1/4-20	YES	1-3/8	1	1	BLACK
IL31B-4X15-R	1/4-20	YES	1-3/8	1-1/2	1	BLACK

IL31B-51-R	5/16-18	YES	1-3/8	1	1	BLACK
IL31B-5X15-R	5/16-18	YES	1-3/8	1-1/2	1	BLACK
IL31B-52-R	5/16-18	YES	1-3/8	2	1	BLACK

IL31B-61-R	3/8-16	YES	1-3/8	1	1	BLACK
IL31B-6X15-R	3/8-16	YES	1-3/8	1-1/2	1	BLACK
IL31B-62-R	3/8-16	YES	1-3/8	2	1	BLACK

18D-Metric Fixed Rubber Base Glides

IL31B-M6X12-R	M6 X 1.0	YES	1-3/8	1/2	7/8	BLACK
IL31B-M6X25-R	M6 X 1.0	YES	1-3/8	1	7/8	BLACK

IL31B-M8X12-R	M8 X 1.25	YES	1-3/8	1/2	1	BLACK
IL31B-M8X25-R	M8 X 1.25	YES	1-3/8	1	1	BLACK
IL31B-M8X38-R	M8 X 1.25	YES	1-3/8	1-1/2	1	BLACK

IL31B-M10X25-R	M10 X 1.50	YES	1-3/8	1	1	BLACK
IL31B-M10X38-R	M10 X 1.50	YES	1-3/8	1-1/2	1	BLACK
IL31B-M10X51-R	M10 X 1.50	YES	1-3/8	2	1	BLACK

18E-Fixed PTFE Slider Base Glides

IL31B-4X1/2-PTFE	1/4-20	YES	1-3/8	1/2	1	BLACK
IL31B-41-PTFE	1/4-20	YES	1-3/8	1	1	BLACK
IL31B-4X15-PTFE	1/4-20	YES	1-3/8	1-1/2	1	BLACK

IL31B-51-PTFE	5/16-18	YES	1-3/8	1	1	BLACK
IL31B-5X15-PTFE	5/16-18	YES	1-3/8	1-1/2	1	BLACK
IL31B-52-PTFE	5/16-18	YES	1-3/8	2	1	BLACK

IL31B-61-PTFE	3/8-16	YES	1-3/8	1	1	BLACK
IL31B-6X15-PTFE	3/8-16	YES	1-3/8	1-1/2	1	BLACK
IL31B-62-PTFE	3/8-16	YES	1-3/8	2	1	BLACK

18E-Metric Fixed PTFE Slider Base Glides

IL31B-M6X12-PTFE	M6 X 1.0	YES	1-3/8	1/2	7/8	BLACK
IL31B-M6X25-PTFE	M6 X 1.0	YES	1-3/8	1	7/8	BLACK

IL31B-M8X12-PTFE	M8 X 1.25	YES	1-3/8	1/2	1	BLACK
IL31B-M8X25-PTFE	M8 X 1.25	YES	1-3/8	1	1	BLACK
IL31B-M8X38-PTFE	M8 X 1.25	YES	1-3/8	1-1/2	1	BLACK

IL31B-M10X25-PTFE	M10 X 1.50	YES	1-3/8	1	1	BLACK
IL31B-M10X38-PTFE	M10 X 1.50	YES	1-3/8	1-1/2	1	BLACK
IL31B-M10X51-PTFE	M10 X 1.50	YES	1-3/8	2	1	BLACK



INTERNATIONAL EQUIPMENT COMPONENTS, INC.

Phone: 562.597.4533 eMail: sales@iec-corp.com


Web: www.levelingmounts.com | www.iec-corp.com

LIGHT-DUTY LEVELERS


THREADED GLIDES

Threaded Fixed Base Leveling Glides

18F-Light Duty, Fixed Steel Base *threaded glides* have a black nylon top above the steel base. The stud is zinc plated and has a top slot. Steel based glides slide easily on carpet.



18F-Metric Light Duty, Fixed Steel Base *threaded glides* have a black nylon top above the steel base. The metric stud is zinc plated and has a top slot. Steel based glides slide easily on carpet.



18G-Light Duty, Fixed Felt Base *threaded glides* (right) offer floor protection and reduce noise. They have a black nylon top above the brown felt base. The threaded stud is zinc plated and has a top slot. For wood legs that are not threaded, use IEC's threaded insert "T-nuts" or propeller nuts.


18G-Metric Light Duty, Fixed Felt Base *threaded glides* (right) offer floor protection and reduce noise. They have a black nylon top above the brown felt base. The threaded metric stud is zinc plated and has a top slot. For wood legs that are not threaded, use IEC's threaded insert "T-nuts" or propeller nuts.

Part Nbr.	Thread	Hex	A	B	C	Base
18F-Fixed Steel Base Glides						
IL31B-4X1/2-S	1/4-20	YES	1-3/8	1/2	1	BLACK
IL31B-41-S	1/4-20	YES	1-3/8	1	1	BLACK
IL31B-4X15-S	1/4-20	YES	1-3/8	1-1/2	1	BLACK
IL31B-51-S	5/16-18	YES	1-3/8	1	1	BLACK
IL31B-5X15-S	5/16-18	YES	1-3/8	1-1/2	1	BLACK
IL31B-52-S	5/16-18	YES	1-3/8	2	1	BLACK
IL31B-61-S	3/8-16	YES	1-3/8	1	1	BLACK
IL31B-6X15-S	3/8-16	YES	1-3/8	1-1/2	1	BLACK
IL31B-62-S	3/8-16	YES	1-3/8	2	1	BLACK
18F-Metric Fixed Steel Base Glides						
IL31B-M6X12-S	M6 X 1.0	YES	1-3/8	1/2	7/8	BLACK
IL31B-M6X25-S	M6 X 1.0	YES	1-3/8	1	7/8	BLACK
IL31B-M8X12-S	M8 X 1.25	YES	1-3/8	1/2	1	BLACK
IL31B-M8X25-S	M8 X 1.25	YES	1-3/8	1	1	BLACK
IL31B-M8X38-S	M8 X 1.25	YES	1-3/8	1-1/2	1	BLACK
IL31B-M10X25-S	M10 X 1.50	YES	1-3/8	1	1	BLACK
IL31B-M10X38-S	M10 X 1.50	YES	1-3/8	1-1/2	1	BLACK
IL31B-M10X51-S	M10 X 1.50	YES	1-3/8	2	1	BLACK
18G-Fixed Felt Base Glides						
IL31B-4X1/2-F	1/4-20	YES	1-3/8	1/2	1	BLACK
IL31B-41-F	1/4-20	YES	1-3/8	1	1	BLACK
IL31B-4X15-F	1/4-20	YES	1-3/8	1-1/2	1	BLACK
IL31B-51-F	5/16-18	YES	1-3/8	1	1	BLACK
IL31B-5X15-F	5/16-18	YES	1-3/8	1-1/2	1	BLACK
IL31B-52-F	5/16-18	YES	1-3/8	2	1	BLACK
IL31B-61-F	3/8-16	YES	1-3/8	1	1	BLACK
IL31B-6X15-F	3/8-16	YES	1-3/8	1-1/2	1	BLACK
IL31B-62-F	3/8-16	YES	1-3/8	2	1	BLACK
18G-Metric Fixed Felt Base Glides						
IL31B-M6X12-F	M6 X 1.0	YES	1-3/8	1/2	7/8	BLACK
IL31B-M6X25-F	M6 X 1.0	YES	1-3/8	1	7/8	BLACK
IL31B-M8X12-F	M8 X 1.25	YES	1-3/8	1/2	1	BLACK
IL31B-M8X25-F	M8 X 1.25	YES	1-3/8	1	1	BLACK
IL31B-M8X38-F	M8 X 1.25	YES	1-3/8	1-1/2	1	BLACK
IL31B-M10X25-F	M10 X 1.50	YES	1-3/8	1	1	BLACK
IL31B-M10X38-F	M10 X 1.50	YES	1-3/8	1-1/2	1	BLACK
IL31B-M10X51-F	M10 X 1.50	YES	1-3/8	2	1	BLACK




Threaded Swivel Base Leveling Glides

18C-Light Duty, Swivel Nylon Base *threaded glides* have a black, swivel base and black nylon top. The steel stud is zinc plated and has a top slot.




18C-Metric Light Duty, Swivel Nylon Base *threaded glides* have a black, swivel base and black nylon top. The metric steel stud is zinc plated and has a top slot.

18D-Light Duty, Swivel Rubber Base *threaded glides* have a black, swivel rubber base made of TPR (thermo-plastic rubber) for non-skid, non-marring support. The steel stud is zinc plated and has a top slot.



18D-Metric Light Duty, Swivel Rubber Base *threaded glides* have a black, swivel rubber base made of TPR (thermo-plastic rubber) for non-skid, non-marring support. The metric steel stud is zinc plated and has a top slot.

18E-Light Duty, Swivel PTFE Base *threaded sliders* allow for easy sliding, reduce floor scratching and provide noise reduction. They have a PTFE gray base (similar to teflon®) with a black nylon top and zinc plated stud with a top slot.



18E-Metric Light Duty, Swivel PTFE Base *threaded sliders* allow for easy sliding, reduce floor scratching and provide noise reduction. They have a PTFE gray base (similar to teflon®) with a black nylon top and zinc plated metric stud with a top slot.

Part Nbr.	Thread	Hex	A	B	C	Base
-----------	--------	-----	---	---	---	------

18H-Swivel Nylon Base Glides

IL31C-4X1/2-N	1/4-20	YES	1-3/8	1/2	7/8	BLACK
IL31C-41-N	1/4-20	YES	1-3/8	1	7/8	BLACK
IL31C-4X15-N	1/4-20	YES	1-3/8	1-1/2	7/8	BLACK
IL31C-51-N	5/16-18	YES	1-3/8	1	1	BLACK
IL31C-5X15-N	5/16-18	YES	1-3/8	1-1/2	1	BLACK
IL31C-52-N	5/16-18	YES	1-3/8	2	1	BLACK
IL31C-61-N	3/8-16	YES	1-3/8	1	1	BLACK
IL31C-6X15-N	3/8-16	YES	1-3/8	1-1/2	1	BLACK
IL31C-62-N	3/8-16	YES	1-3/8	2	1	BLACK

18H-Metric Swivel Nylon Base Glides

IL31C-M6X12-N	M6x1.0	YES	1-3/8	1/2	7/8	BLACK
IL31C-M6X25-N	M6x1.0	YES	1-3/8	1	7/8	BLACK
IL31C-M8X12-N	M8x1.25	YES	1-3/8	1/2	1	BLACK
IL31C-M8X25-N	M8x1.25	YES	1-3/8	1	1	BLACK
IL31C-M8X38-N	M8x1.50	YES	1-3/8	1-1/2	1	BLACK
IL31C-M10X25-N	M10x1.5	YES	1-3/8	1	1	BLACK
IL31C-M10X38-N	M10x1.5	YES	1-3/8	1-1/2	1	BLACK

18J-Swivel Rubber Base Glides

IL31C-4X1/2-R	1/4-20	YES	1-3/8	1/2	1	BLACK
IL31C-41-R	1/4-20	YES	1-3/8	1	1	BLACK
IL31C-4X15-R	1/4-20	YES	1-3/8	1-1/2	1	BLACK
IL31C-51-R	5/16-18	YES	1-3/8	1	1	BLACK
IL31C-5X15-R	5/16-18	YES	1-3/8	1-1/2	1	BLACK
IL31C-52-R	5/16-18	YES	1-3/8	2	1	BLACK
IL31C-61-R	3/8-16	YES	1-3/8	1	1	BLACK
IL31C-6X15-R	3/8-16	YES	1-3/8	1-1/2	1	BLACK
IL31C-62-R	3/8-16	YES	1-3/8	2	1	BLACK

18J-Metric Swivel Rubber Base Glides

IL31C-M6X12-R	M6x1.0	YES	1-3/8	1/2	7/8	BLACK
IL31C-M6X25-R	M6x1.0	YES	1-3/8	1	7/8	BLACK
IL31C-M8X12-R	M8x1.25	YES	1-3/8	1/2	1	BLACK
IL31C-M8X25-R	M8x1.25	YES	1-3/8	1	1	BLACK
IL31C-M8X38-R	M8x1.50	YES	1-3/8	1-1/2	1	BLACK
IL31C-M10X25-R	M10x1.5	YES	1-3/8	1	1	BLACK
IL31C-M10X38-R	M10x1.5	YES	1-3/8	1-1/2	1	BLACK

18K-Swivel PTFE Slider Base Glides

IL31C-4X1/2-PTFE	1/4-20	YES	1-3/8	1/2	1	BLACK
IL31C-41-PTFE	1/4-20	YES	1-3/8	1	1	BLACK
IL31C-4X15-PTFE	1/4-20	YES	1-3/8	1-1/2	1	BLACK
IL31C-51-PTFE	5/16-18	YES	1-3/8	1	1	BLACK
IL31C-5X15-PTFE	5/16-18	YES	1-3/8	1-1/2	1	BLACK
IL31C-52-PTFE	5/16-18	YES	1-3/8	2	1	BLACK
IL31C-61-PTFE	3/8-16	YES	1-3/8	1	1	BLACK
IL31C-6X15-PTFE	3/8-16	YES	1-3/8	1-1/2	1	BLACK
IL31C-62-PTFE	3/8-16	YES	1-3/8	2	1	BLACK


18K-Metric Swivel PTFE Slider Base Glides

IL31C-M6X12-PTFE	M6x1.0	YES	1-3/8	1/2	7/8	BLACK
IL31C-M6X25-PTFE	M6x1.0	YES	1-3/8	1	7/8	BLACK
IL31C-M8X12-PTFE	M8x1.25	YES	1-3/8	1/2	1	BLACK
IL31C-M8X25-PTFE	M8x1.25	YES	1-3/8	1	1	BLACK
IL31C-M8X38-PTFE	M8x1.50	YES	1-3/8	1-1/2	1	BLACK
IL31C-M10X25-PTFE	M10x1.5	YES	1-3/8	1	1	BLACK
IL31C-M10X38-PTFE	M10x1.5	YES	1-3/8	1-1/2	1	BLACK




Threaded Swivel Base Leveling Glides

18L-Light Duty, Swivel Steel Base *threaded glides* have a black nylon top above the steel base. The stud is zinc plated and has a top slot. Steel based glides slide easily on carpet.



18L-Metric Light Duty, Swivel Steel Base *threaded glides* have a black nylon top above the steel base. The metric stud is zinc plated and has a top slot. Steel based glides slide easily on carpet.



18M-Light Duty, Swivel, Felt Base *threaded glides* (right) offer floor protection and reduce noise. They have a black nylon top above the brown felt base. The threaded metric stud is zinc plated and has a top slot. For wood legs that are not threaded, use IEC's threaded insert "T-nuts" or propeller nuts.

18M-Metric Light Duty, Swivel, Felt Base *threaded glides* (right) offer floor protection and reduce noise. They have a black nylon top above the brown felt base. The threaded metric stud is zinc plated and has a top slot. For wood legs that are not threaded, use IEC's threaded insert "T-nuts" or propeller nuts.

Part Nbr.	Thread	Hex	A	B	C	Base
-----------	--------	-----	---	---	---	------

18L-Swivel Steel Slider Base Glides

IL31C-4X1/2-S	1/4-20	YES	1-3/8	1/2	1	BLACK
IL31C-41-S	1/4-20	YES	1-3/8	1	1	BLACK
IL31C-4X15-S	1/4-20	YES	1-3/8	1-1/2	1	BLACK
IL31C-51-S	5/16-18	YES	1-3/8	1	1	BLACK
IL31C-5X15-S	5/16-18	YES	1-3/8	1-1/2	1	BLACK
IL31C-52-S	5/16-18	YES	1-3/8	2	1	BLACK
IL31C-61-S	3/8-16	YES	1-3/8	1	1	BLACK
IL31C-6X15-S	3/8-16	YES	1-3/8	1-1/2	1	BLACK
IL31C-62-S	3/8-16	YES	1-3/8	2	1	BLACK

18L-Metric Swivel Steel Slider Base Glides

IL31C-M6X1/2-S	M6x1.0	YES	1-3/8	1/2	7/8	BLACK
IL31C-M6X1-S	M6x1.0	YES	1-3/8	1	7/8	BLACK
IL31C-M8X1/2-S	M8x1.25	YES	1-3/8	1/2	1	BLACK
IL31C-M8X1-S	M8x1.25	YES	1-3/8	1	1	BLACK
IL31C-M8X3/8-S	M8x1.50	YES	1-3/8	1-1/2	1	BLACK
IL31C-M10X1-S	M10x1.5	YES	1-3/8	1	1	BLACK
IL31C-M10X15-S	M10x1.5	YES	1-3/8	1-1/2	1	BLACK

18M-Swivel Felt Slider Base Glides

IL31C-4X1/2-F	1/4-20	YES	1-3/8	1/2	1	BLACK
IL31C-41-F	1/4-20	YES	1-3/8	1	1	BLACK
IL31C-4X15-F	1/4-20	YES	1-3/8	1-1/2	1	BLACK
IL31C-51-F	5/16-18	YES	1-3/8	1	1	BLACK
IL31C-5X15-F	5/16-18	YES	1-3/8	1-1/2	1	BLACK
IL31C-52-F	5/16-18	YES	1-3/8	2	1	BLACK
IL31C-61-F	3/8-16	YES	1-3/8	1	1	BLACK
IL31C-6X15-F	3/8-16	YES	1-3/8	1-1/2	1	BLACK
IL31C-62-F	3/8-16	YES	1-3/8	2	1	BLACK

18M-Metric Swivel Felt Slider Base Glides

IL31C-M6X1/2-F	M6x1.0	YES	1-3/8	1/2	7/8	BLACK
IL31C-M6X1-F	M6x1.0	YES	1-3/8	1	7/8	BLACK
IL31C-M8X1/2-F	M8x1.25	YES	1-3/8	1/2	1	BLACK
IL31C-M8X1-F	M8x1.25	YES	1-3/8	1	1	BLACK
IL31C-M8X3/8-F	M8x1.50	YES	1-3/8	1-1/2	1	BLACK
IL31C-M10X1-F	M10x1.5	YES	1-3/8	1	1	BLACK
IL31C-M10X15-F	M10x1.5	YES	1-3/8	1-1/2	1	BLACK



INTERNATIONAL EQUIPMENT COMPONENTS, INC.

Phone: 562.597.4533 eMail: sales@iec-corp.com



Web: www.levelingmounts.com | www.iec-corp.com

LIGHT-DUTY LEVELERS


THREADED GLIDES

Threaded Leveling Glides



21-Light Duty, (Oval) White Plastic Base These *oval glides* are available in small diameter sizes. Also available in brown color plastic (add -BR to part number).



22-Light Duty, Clear, Plastic Base These *clear plastic glides* are available with three thread lengths.



23-Light Duty, Brown, Plastic Base This *"bottle cap" glide* has an extended thread length and slot. Ideal for cabinet installations. IL36A does not have a top slot.



(IL36A)

23A-Snap On Nylon Glide Caps These *nylon caps* snap over the base of several types of metal based glides. Examples: IL16 thru IL18, IL22 & IL23.



Part Nbr.	Thread	Hex	A	B	C	Base
21-Oval Base Glides						
IL34-4Wx625	1/4-20	NO	5/8	5/8	1/4	WHITE
IL34-41W	1/4-20	NO	5/8	1	1/4	WHITE
IL34A-41W	1/4-20	NO	3/4	1	1/4	WHITE
IL34B-41W	1/4-20	NO	7/8	1	1/4	WHITE
IL34C-41W	1/4-20	NO	1	1	1/4	WHITE
IL34D-4Wx625	1/4-20	NO	1-1/8	5/8	1/4	WHITE
IL34D-41W	1/4-20	NO	1-1/8	1	1/4	WHITE
IL34D-4x15W	1/4-20	NO	1-1/8	1-1/2	1/4	WHITE

Part Nbr.	Thread	Hex	A	B	C	Base
22-Clear Glides						
IL35-4x1/2	1/4-20	NO	1	1/2	13/32	CLEAR
IL35-4x3/4	1/4-20	NO	1	3/4	13/32	CLEAR
IL35-41	1/4-20	NO	1-1/8	1	7/16	CLEAR

Note: More sizes of clear glides in steel and stainless steel. (See IL32).

Part Nbr.	Thread	Hex	A	B	C	Base
23-Bottle Cap Glide						
IL36-5x2-SL	5/16-18	NO	1-1/8	2	1/4	BROWN
IL36-52-SL	5/16-18	NO	1-1/8	2-1/4	1/4	BROWN
IL36-5x275-SL	5/16-18	NO	1-1/8	2-3/4	1/4	BROWN
IL36-54-SL	5/16-18	NO	1-1/8	4	1/4	BROWN
IL36A-4Bx75	1/4-20	NO	7/8	3/4	1/4	BLACK
IL36A-5Bx75	5/16-18	NO	7/8	3/4	1/4	BLACK
IL36A-6Bx75	3/8-16	NO	7/8	3/4	1/4	BLACK
IL36A-M6x25	M6 x 1.0	NO	7/8	1	1/4	BLACK
IL36A-M8x25	M8 x 1.25	NO	7/8	1	1/4	BLACK

Snap On Nylon Glide Caps

P/N	FITS DIAMETER	FITS BASE
IL-CAP-NYL-1	7/8	STD BASE
IL-CAP-NYL-2	15/16	STD BASE
IL-CAP-NYL-3	1	STD BASE
IL-CAP-NYL-4	1-1/16	STD BASE
IL-CAP-NYL-5	1-1/4	STD BASE
IL-CAP-NYL-6	1-1/4	THICK BASE
IL-CAP-NYL-7	1-1/4	CONICAL BASE



INTERNATIONAL EQUIPMENT COMPONENTS, INC.

Phone: 562.597.4533 eMail: sales@iec-corp.com


Web: www.levelingmounts.com | www.iec-corp.com

LIGHT-DUTY LEVELERS

THREADED GLIDES


Threaded Leveling Glides

24-Medium Duty, Zinc plated, Metal Swivel Base These *steel glides* have a zinc plated shell and stud. The stud tilts approximately 20°. The IL37A features a top end hex.




(IL37A-xx)



25-Light Duty, Plastic Swivel Base These *swivel glides* tilt 25° from the centerline. Available in black or white plastic.







26-Light Duty, Black, Plastic Base Hex Glides These *hex glides* are offered with a 1/4-20, 5/16-18 and 3/8-16 thread size. The 5/16-18 and metric sizes have a top end slot.





(IL39-4Bx15) (IL39-5Bx15-SL)



27-Medium Duty, Zinc Plated, Steel Hex Glides These *hex glides* are low profile and can handle heavy loads. Some sizes are available with a slot (-SL). Also available with top hex and slot (-HX-SL). Available with a gray polyethylene cap that fits over the hex. Add (-CAP) to part number. Limited offering in metric sizes.



PE Cap for Hex Glides



Part Nbr.	Thread	Hex	A	B	C	Base
24-Metal Base, Swivel Glides						
IL37-52	5/16-18	YES	1-3/4	2	3/8	ZINC
IL37-6x15	3/8-16	YES	1-3/4	1-1/2	3/8	ZINC
IL37-62	3/8-16	YES	1-3/4	2	3/8	ZINC
IL37-6x25	3/8-16	YES	1-3/4	2-1/2	3/8	ZINC
IL37-63	3/8-16	YES	1-3/4	3	3/8	ZINC
IL37-64	3/8-16	YES	1-3/4	4	3/8	ZINC
IL37A-6x35-HX	3/8-16	YES	1-3/16	3-1/2	3/8	ZINC

25-Plastic Swivel Glides						
IL38-41B	1/4-20	NO	1-1/8	1	5/8	BLACK
IL38-41W	1/4-20	NO	1-1/8	1	5/8	WHITE

26-Plastic Hex Glides						
IL39-4Bx15	1/4-20	YES	1	1-1/2	5/16	BLACK
IL39-5Bx15-SL	5/16-18	YES	1	1-3/4	1/4	BLACK
IL39-61	3/8-16	YES	3/4	1	1/4	BLACK
IL39-6x15	3/8-16	YES	3/4	1-1/2	1/4	BLACK

26-Metric Plastic Hex Glides						
IL39-M8Bx38-SL	M8x1.25	YES	3/4	1-1/2	1/4	BLACK
IL39-M10Bx38-SL	M10x1.25	YES	3/4	1-1/2	1/4	BLACK

27-Steel Hex Glides						
IL40-41	1/4-20	YES	9/16	1	3/32	ZINC
IL40-4x125	1/4-20	YES	9/16	1-1/4	3/32	ZINC
IL40-5x1/2	5/16-18	YES	3/4	1/2	7/64	ZINC
IL40-51	5/16-18	YES	3/4	1	7/64	ZINC
IL40-5x125	5/16-18	YES	3/4	1-1/4	7/64	ZINC
IL40-5x15	5/16-18	YES	3/4	1-1/2	7/64	ZINC
IL40-5x15-SL	5/16-18	YES	3/4	1-1/2	7/64	ZINC
IL40-6x1/2	3/8-16	YES	7/8	1/2	9/64	ZINC
IL40-6x125	3/8-16	YES	7/8	1-1/4	9/64	ZINC
IL40-6x15	3/8-16	YES	7/8	1-1/2	9/64	ZINC
IL40-6x15-SL	3/8-16	YES	7/8	1-1/2	9/64	ZINC
IL40-6x2-SL	3/8-16	YES	7/8	2	9/64	ZINC
IL40-6x25-SL	3/8-16	YES	7/8	2-1/2	9/64	ZINC
IL40-7x25	1/2-13	YES	1-1/16	2-1/2	11/64	ZINC

27-Steel Hex Glides - Metric						
IL40-M6x30	M6x1	YES	9/16	1	3/32	ZINC
IL40-M8x25	M8x1.25	YES	3/4	1	7/64	ZINC
IL40-M8x40-SL	M8x1.25	YES	3/4	1-1/2	7/64	ZINC
IL40-M10x35	M10x1.50	YES	7/8	1-1/4	9/64	ZINC
IL40-M10x40-SL	M10x1.50	YES	7/8	1-1/2	9/64	ZINC
IL40-M10x60	M10x1.50	YES	7/8	2-3/8	9/64	ZINC
IL40-M10x65-SL	M10x1.50	YES	7/8	2-1/2	9/64	ZINC
IL40-M12x65	M12x1.75	YES	1-1/16	2-1/2	11/64	ZINC

27A-Steel Hex Glides with Top Hex and Slot

IL40-4x3/4-HX-SL	1/4-20	YES	9/16	3/4	3/32	ZINC
IL40-41-HX-SL	1/4-20	YES	9/16	1	3/32	ZINC
IL40-4x125-HX-SL	1/4-20	YES	9/16	1-1/4	3/32	ZINC
IL40-4x15-HX-SL	1/4-20	YES	9/16	1-1/2	3/32	ZINC
IL40-4x2-HX-SL	1/4-20	YES	9/16	2	3/32	ZINC
IL40-5x3/4-HX-SL	5/16-18	YES	13/16	3/4	9/64	ZINC
IL40-51-HX-SL	5/16-18	YES	13/16	1	9/64	ZINC
IL40-5x125-HX-SL	5/16-18	YES	13/16	1-1/4	9/64	ZINC
IL40-5x15-HX-SL	5/16-18	YES	13/16	1-1/2	9/64	ZINC
IL40-5x2-HX-SL	5/16-18	YES	13/16	2	9/64	ZINC
IL40-5x25-HX-SL	5/16-18	YES	13/16	2-1/2	9/64	ZINC
IL40-6x3/4-HX-SL	3/8-16	YES	13/16	3/4	9/64	ZINC
IL40-61-HX-SL	3/8-16	YES	13/16	1	9/64	ZINC
IL40-6x125-HX-SL	3/8-16	YES	13/16	1-1/4	9/64	ZINC
IL40-6x15-HX-SL	3/8-16	YES	13/16	1-1/2	9/64	ZINC
IL40-6x2-HX-SL	3/8-16	YES	13/16	2	9/64	ZINC
IL40-6x25-HX-SL	3/8-16	YES	13/16	2-1/2	9/64	ZINC
IL40-6x3-HX-SL	3/8-16	YES	13/16	3	9/64	ZINC
IL40-6x35-HX-SL	3/8-16	YES	13/16	3-1/2	9/64	ZINC
IL40-7x188-HX*	1/2-13	YES	7/8	1-7/8	9/64	ZINC
IL40-7x312-HX*	1/2-13	YES	7/8	3-1/8	9/64	ZINC

* Top hex only, no slot.

Part Number	S.S.	Thread Size	(A) Flange Dia.	(B) Total Height	(D) Barrel Dia.	(C) Flange Thickness
-------------	------	-------------	-----------------	------------------	-----------------	----------------------


IL40-6T	IL40-6T-SS	3/8-16	7/8	.510	5/8	1/8
IL40-7T	IL40-7T-SS	1/2-13	7/8	.510	5/8	1/8

27A-Steel and Stainless Steel Socket Hex Glides By adding a threaded stud to these hex glides, you can create a low profile hex leveler of any length. To ensure the threaded rod does not come loose, add loctite or J-B Weld epoxy or a lock nut. These can also be used as a weld nut or injection molding nut. The total height is machined to a tight tolerance.




Threaded Leveling Glides

28-Light Duty, Zinc Plated, Stamped Hex These *stamped hex glides* offer a large base diameter.




(IL41A-Xx)



29-Medium Duty Vibration Glides These *vibration dampening glides* have a black or gray neoprene base. The black base has a black finish on the shell and stud while the gray base has a clear zinc finish on the shell and stud.



30-Light Duty, Nickel Plated, Slotted Swivel Glides These *swivel glides* have a white plastic base with a nickel plated shell. The stud swivels 20° from the centerline. The top slot is standard but may also be ordered with a top hex and slot (-HX-SL).



31-Slotted Swivel Glide and Bracket Sets These *slotted glide and bracket sets* are designed for wood or metal applications. The glides swivel and have a top end slot (IL43 series). The corner (IL30-6-CB) and side brackets (IL30-6-SB) can be welded or installed with wood screws or bolts.



Part Nbr.	Thread	Hex	A	B	C	Base
28-Stamped Hex Glides						
IL41-4x15	1/4-20	YES	1-3/8	1-1/2	5/16	ZINC
IL41-5x15	5/16-18	YES	1-3/8	1-1/2	5/16	ZINC
IL41-5x25	5/16-18	YES	1-3/8	2-1/2	5/16	ZINC
IL41-6x125-HX	3/8-16	YES	1-3/8	1-1/4	5/16	ZINC
IL41-6x15	3/8-16	YES	1-3/8	1-1/2	5/16	ZINC
IL41-6x175-HX	3/8-16	YES	1-3/8	1-3/4	5/16	ZINC
IL41-7x15	1/2-13	YES	1-3/8	1-1/2	5/16	ZINC
IL41-73	1/2-13	YES	1-3/8	3	5/16	ZINC
IL41-7x35-HX	1/2-13	YES	1-3/8	3-1/2	5/16	ZINC
IL41A-63B-HX-SL	3/8-16	YES	1-3/8	3	5/16	BLACK

NOTE: PN's with a "-HX" have a top hex on stud. IL41-7-35-HX has 3/8" top hex, 3/8" tall

Part Nbr.	Thread	Hex	A	B	C	Base
29-Vibration Glides						
IL42-5Gx15	5/16-18	YES	1	1-1/2	13/16	GRAY
IL42-5Bx15	5/16-18	YES	1	1-1/2	13/16	BLACK
IL42-M8Gx40	M8	YES	1	1-1/2	13/16	GRAY
IL42-63G	3/8-16	YES	1-1/2	3	1	GRAY
IL42-63B	3/8-16	YES	1-1/2	3	1	BLACK
IL42-72G	1/2-13	YES	1-1/2	2	1	GRAY
IL42-72B	1/2-13	YES	1-1/2	2	1	BLACK

Part Nbr.	Thread	Hex	A	B	C	Base
30-Slotted Swivel Glides						
IL43-6x15-SL	3/8-16	YES	1-1/2	1-1/2	5/8	NICKEL
IL43-6x15-HX-SL	3/8-16	YES	1-1/2	1-1/2	5/8	NICKEL
IL43-6x25-SL	3/8-16	YES	1-1/2	2-1/2	5/8	NICKEL
IL43-6x25-HX-SL	3/8-16	YES	1-1/2	2-1/2	5/8	NICKEL
IL43-63-SL	3/8-16	YES	1-1/2	3	5/8	NICKEL
IL43-63-HX-SL	3/8-16	YES	1-1/2	3	5/8	NICKEL
IL43-6x35-SL	3/8-16	YES	1-1/2	3-1/2	5/8	NICKEL
IL43-6x35-HX-SL	3/8-16	YES	1-1/2	3-1/2	5/8	NICKEL
IL43-64-SL	3/8-16	YES	1-1/2	4	5/8	NICKEL

30-Metric Slotted Swivel Glides


IL43-M8x38-HX-SL	M8x1.25	YES	1-1/2	1-1/2	5/8	NICKEL
IL43-M10x38-HX-SL	M10x1.50	YES	1-1/2	1-1/2	5/8	NICKEL

NOTE: Part Numbers with a "-HX" have a top hex on stud.

Part Nbr.	Thread	Hex	A	B	C	Base
31-Slotted Swivel Glide and Bracket Sets						
IL44-61-CB	3/8-16	YES	1-1/2	1-1/2	5/8	NICKEL
IL44-63-CB	3/8-16	YES	1-1/2	3	5/8	NICKEL
IL44-64-CB	3/8-16	YES	1-1/2	4	5/8	NICKEL
IL44-61-SB	3/8-16	YES	1-1/2	1-1/2	5/8	NICKEL
IL44-63-SB	3/8-16	YES	1-1/2	3	5/8	NICKEL
IL44-64-SB	3/8-16	YES	1-1/2	4	5/8	NICKEL

Part Nbr.	Thread	Hex	A	B	C	Base
32-Thick Base Glides						
IL45-51B	5/16-18	NO	7/8	1	1/4	BLACK
IL45-5Bx15	5/16-18	NO	1-1/8	1-1/2	3/8	BLACK

32-Thick Base Glide These glides have a rugged-duty, black H.D.P.E. base.





INTERNATIONAL EQUIPMENT COMPONENTS, INC.

Phone: 562.597.4533 eMail: sales@iec-corp.com


Web: www.levelingmounts.com | www.iec-corp.com

LIGHT-DUTY LEVELERS

THREADED GLIDES

Threaded Leveling Glides



33-Self-Adjusting Levelers These *self-adjusting levelers* reduce table wobble. They feature an internal spring or a hydraulic spring (-HY).




34-Table Wedge This *black rubber table leg wedge* is designed to stop table wobble or to be used as a shim.



35-Big Foot Leveler These *large base levelers* are available in a black or white nylon base. To order white, replace "B" with "W".



37-Zinc-plated Steel Vibration Levelers These zinc-plated steel levelers have a waffle-type black neoprene pad that reduces vibration and provides grip. The stud swivels approximately 10° from the centerline.



33-IL46 Self-Adjusting Levelers

P/N	Thread x Length	Base Dia.	Height
IL46-4Bx38	1/4-20x3/8	1-1/4	1
IL46-5HBx75*	5/16-18x3/4	1-1/4	1
IL46-5HBx1*	5/16-18x1	1-1/4	1
IL46-4Bx38-HY	1/4-20x3/8	1-1/2	1-1/8
IL46-5Bx38-HY	5/16-18x3/8	1-1/2	1-1/8
IL46-6Bx38-HY	3/8-16x3/8	1-1/2	1-1/8
IL46-M6Bx10-HY	M6x10mm	1-1/2	1-1/8
IL46-M8Bx10-HY	M8x10mm	1-1/2	1-1/8
IL46-M10Bx10-HY	M10x10mm	1-1/2	1-1/8

* Hex above base

34-Table Leg Wedge

P/N	Height	Width	Length
IL46A-WEDGE-1	3/16	1-1/8	1-7/8

Part Nbr.	Thread	Hex	A	B	C	Base
35-Big Foot Leveler						
IL47-5Bx15	5/16-18	YES	2-1/2	1-1/2	3/4	Black
IL47-5Bx25	5/16-18	YES	2-1/2	2-1/2	3/4	Black
IL47-6Bx15	3/8-16	YES	2-1/2	1-1/2	3/4	Black
IL47-6Bx25	3/8-16	YES	2-1/2	2-1/2	3/4	Black
IL47-6Bx35	3/8-16	YES	2-1/2	3-1/2	3/4	Black
IL47-7Bx25	1/2-13	YES	2-1/2	2-1/2	3/4	Black
IL47-7Bx35	1/2-13	YES	2-1/2	3-1/2	3/4	Black

Part Nbr.	Thread	Hex	Load	A	B	C
37-Zinc Plated Steel Vibration Levelers						
IL49-4x125-75	1/4-20	YES	75	1-1/2	1-1/4	1
IL49-4x125-150	1/4-20	YES	150	1-1/2	1-1/4	1
IL49-6x162-75	3/8-16	YES	75	2-1/8	1-5/8	1
IL49-6x162-150	3/8-16	YES	150	2-1/8	1-5/8	1
IL49-6x162-300	3/8-16	YES	300	2-1/8	1-5/8	1
IL49-7x175-75	1/2-13	YES	75	2-1/8	1-11/16	1
IL49-7x175-150	1/2-13	YES	150	2-1/8	1-11/16	1
IL49-7x175-300	1/2-13	YES	300	2-1/8	1-11/16	1
IL49-7x175-450	1/2-13	YES	450	2-1/8	1-11/16	1